

# Accessibility Testing

NMQA have extensive experience within the provision of accessibility testing services whether it is WCAG1.0 or 2.0 compliance to Level A or AAA. Available as an on demand service or as part of a TCE engagement our accessibility service is aligned with the recommendations of the Web Accessibility Initiative as provided by the W3C.



WCAG2		Key	
A	●	●	Priority A - disabled users will find it impossible to use some pages
AA	●	●	Priority AA - disabled users will find it difficult to use some pages
AAA	●	●	Priority AAA - disabled users will find it somewhat difficult to use some pages

  

Priority	URL / Description	Guideline	Line
⊗ ●	Each A tag must contain non-blank link text or non-blank IMG ALT text. Without link text or an ALT tag screen readers have nothing to read, so read out the URL instead.	<a href="#">WCAG2 2.4.4</a>	<a href="#">Options</a> ▾  <a href="#">468</a> <a href="#">488</a> <a href="#">540</a>
⊗ ●	This form control has no associated LABEL element. Add a LABEL tag with the FOR attribute set to the id of this control. This allows screen readers to tell the user what each control does.	<a href="#">WCAG2 F68</a>	<a href="#">Options</a> ▾  <a href="#">2962</a>

2 issues on 1 pages

## Certification Level

NMQA will provide you with all relevant changes that should be implemented, considered or tested to ensure compliance. When this work is completed and your site becomes live or can be accessed by W3C's automated validation tools we recommend executing the validation against your website.

Your compliance level will then be shown to you by the W3C and the relevant certification logo displayed can be placed on your website.

N.B. Your compliance level can vary based upon updates to your website, technologies used etc. It is necessary to retest your site or implement development conformance procedures to keep your certification level current.